MATERIAL SAFETY DATA SHEET 0043 ANDYKI 0005

Manufactured by:

Anderson

SURFLEX® **Chemical Company**

325 SOUTH DAVIS AVENUE LITCHFIELD, MINNESOTA 55355 (320) 693-2477

24-HOUR EMERGENCY PHONE #: 1-800-424-9300 (CHEMTREC) Supersados: Revised: 11/24/2008 1/8/2007

Ĭ

Special Hazard

See Bottom of Page

Reactivity

NFPA Hazard Rating*

Health

0

Flammability

N

Name: HD Dishmachine Detergent

Product

_ IDENTIFICATION

Warewashing Detergent Chemical Name And Synonyms:

Chemical Family:

Alkali

DOT Shipping Name

Compounds, Cleaning Liquid (Sodium Hydroxide/Sodium Hydroxide/Sodium Hypochlorite)

DOT Hazard Class & I.D. Number Corrosive Material NA1760

∞ *± = ନ

Trade Secret	Trade Secret	Sodium hypochlorite	Component Sodium hydroxide
TSRN 1800	TSRN 2398	7681-52-9	CAS NO. 1310-73-2
		ω	z %₹
X,	N.		HAZARDOUS INGREDIENTS % TLV PEL Toxic 13 2mg/M3 NA
¥	Ä		IS INGI
Š	¥	¥	VEDIEN Toxic
May cause eye irritation.	Slight eye imizant.	intant to skin, eyes and mucous membranes.	Hazard Corrosive to skin and eyes.

"Toxic chemical subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR §372), NE: Not established

= PHYSICAL DATA

Bolling Point: About 212° F.

Specific Gravity: 1212

Appearance: Yellow liquid

Ξ

Solubility in Water: Form: **Liquid** Complete pH. 1% Soin.: 12.15 pH, 1% Soin.:

Odor: Slight chlorine odor

FIRE AND EXPLOSION HAZARD DATA

Flashpoint: Not Applicable

Extinguishing Media: Not applicable

Special Fire

Fighting Procedures: Although this product is not combustible, if a fire occurs in the near vicinity, good firefighting practice dictates the use of self-contained breathing apparatus and other protective gear. Cool fire-exposed containers with water. Move fire exposed containers if it can be done without risk.

Unusual Fire And

Explosion Hazards: If the stock solution container breaks, the product should be handled with care as it is corrosive

< **HEALTH HAZARD DATA**

Carcinogenic: The raw materials used in this product are not considered to be a carcinogen by ACGIH and OSHA.

Effects Of Over-exposure: Corrosive. Causes imitation (possibly severe), burns to the eyes. May cause permanent eye damage. Causes imitation (possibly severe), burns, nausea, vorniting to the gastrointestinal tract. The severity of effects depend on concentration and how soon after exposure the area is washed.

Emergency And First Aid Procedures:

EYES: Flush with water for 15 minutes, raise eyelids for complete rinsing. Get immediate medical attention.

SKIN: Immediately flush with water for 15 minutes. Remove contaminated clothing and wash before reuse. Get immediate medical attention. Discard contaminated leather goods.

INGESTION: Do not induce vomiting. Give large quantities of water. Get immediate medical attention. Never give anything by mouth to an unconscious or convulsing person.

Page 2; Product Name: HD Dishmachine Detergent

VI. REACTIVITY DATA

Unstable:

Stable: X

Conditions To Avoid: Mixing with water, acid or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas.

Incompatibility: (Materials To Avoid) Acids, hatogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other atkali sensitive metals or alloys. Avoid contact with leather, wool, organic nitro compounds. Reads with strong acids and will yield chlorine gas

Hazardous

Decomposition Products: Toxic furnes of sodium oxide.

VII. SPILL OR LEAK PROCEDURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Small spills can be diluted with a large amount of water and flushed to sanitary sewer. For large spills, wear appropriate personal protection equipment. Completely contain spilled material hid dises or sandbags, etc., and prevent run-off into ground or surface waters or sewers. Recover as much material as possible with containers for disposal or reuse. Remaining material may be diluted with water, neutralize chlorine by adding sodium sulfite, sodium bisuffite or sodium thiosulfate; then neutralize alkalinity by adding a dilute acid. Flush spill area with water followed by a liberal covering of sodium bicarbonate. Neutralization products, both solid and liquid, must be recovered for disposal.

Waste Disposal Method: Dispose of in accordance with federal, state or local disposal authorities

≦ SPECIAL PROTECTION INFORMATION

Respiratory Protection: Respiratory protection is not required for normal use. If mist level is high, wear NIOSH approved respirator.

Ventilation: Should be adequate to keep mist level below the TLV

Protective Gloves: Eye Protection: Natural rubber, neoprene or nárile gloves should be wom. Safety glasses with side shields. Chemical goggles, face s goggles, face shield if appropriate

Protective Clothing: In situations where contact with can be anticipated, protective clothing should be worn.

콧 **SPECIAL PRECAUTIONS**

Precautions To Be Taken In Handling And Storing:

Do not get in eyes, on skin, or clothing. Wash thoroughly after handling. Wear appropriate protective clothing/equipment. Do not breathe vapors or mists. Use with adequate ventilation, Keep containers tightly closed and properly labeled. Safely shower and eyewash stations should be provided in the areas where this product is handled. Containers that have been emptied will retain product residue and should be handled as if they were full.

Other Precautions: Not applicable

X. REVISED INFORMATION

MSDS Status: