



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2016

Page 1 of 11

## SAFETY DATA SHEET

### SECTION 1. IDENTIFICATION

Product identifier used on the label

: **Blast-A-Coil**

Product Code(s) : BAC20 (P/N 475246)

Recommended use of the chemical and restrictions on use

: Professional Use Only; Lubricant

Chemical family : Mixture.

Name, address, and telephone number  
of the supplier:

**Parker Hannifin Corporation - Sporlan Division**

206 Lange Drive  
Washington, MO, U.S.A.  
63090

www.sporlan.com

Supplier's Telephone # : (636)-239-1111

24 Hr. Emergency Tel # : Chemtrec 1-800-424-9300 (Within Continental U.S.); Chemtrec 703-527-3887  
(Outside U.S.).

Name, address, and telephone number of  
the manufacturer:

Refer to supplier

### SECTION 2. HAZARDS IDENTIFICATION

Classification of the chemical

WHMIS information: This product is a WHMIS Controlled Product. It meets one or more of the criteria for a controlled product provided in Part IV of the Canadian Controlled Products Regulations (CPR). WHMIS classification:

Class A (Pressurized containers);

Class D2A (Materials Causing Other Toxic Effects, Very Toxic Material);

Class D2B (Materials Causing Other Toxic Effects, Toxic Material).

OSHA: This material is classified as hazardous under OSHA regulations (29CFR 1910.1200). Hazardous classification :

Gas Under Pressure -Liquefied gas

Skin Irritation - Category 2

Eye Damage/Irritation - Category 2A

Carcinogenicity - Category 1

Specific Target Organ Toxicity, Single Exposure - Category 3 (cns)

Label elements

The following label information is applicable only to the United States according to OSHA Regulations (29 CFR 1910.1200) (Hazcom 2012):

Signal Word

**DANGER!**

Hazard statement(s)

Contains gas under pressure; may explode if heated.

Causes skin irritation.

Causes serious eye irritation.

May cause cancer.

May cause drowsiness or dizziness.

Precautionary statement(s)



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 2 of 11

## SAFETY DATA SHEET

Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing mist, vapors or spray.  
Wash thoroughly after handling.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/clothing and eye/face protection.

IF exposed or concerned: Get medical attention/advice.  
IF ON SKIN: Wash with plenty of soap and water.  
If skin irritation occurs, get medical advice/attention.  
Take off contaminated clothing and wash it before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing.  
If eye irritation persists, get medical advice/attention.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER or doctor/physician if you feel unwell.

Store locked up.  
Protect from sunlight and store in well-ventilated place.



The following label information is applicable only to Canada according to the Canadian Controlled Products Regulations (CPR/WHMIS):

Clear liquid in pressurized container. Solvent odor.

**DANGER!** Contents under pressure. Containers may explode if heated. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. Causes skin and eye irritation. Suspected of causing cancer.

Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Keep away from extreme heat and direct flame. Wash thoroughly after handling. Do not puncture, incinerate or expose to heat even when empty. Store in a cool, dry, well ventilated area, away from heat and ignition sources.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a physician or poison control centre immediately. IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.



### Other hazards

Other hazards which do not result in classification: Contact with liquid or refrigerated gas can cause cold burns and frostbite. May cause respiratory tract irritation. Ingestion can cause gastrointestinal irritation, nausea, and diarrhea.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS #	Concentration
Trichloroethylene	79-01-6	60.0 - 100.0
Carbon dioxide	124-38-9	1.0 - 5.0



Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 3 of 11

## SAFETY DATA SHEET

### SECTION 4. FIRST-AID MEASURES

#### Description of first aid measures

- Ingestion* : Call a physician or poison control centre immediately. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Seek immediate medical attention/advice.
- Inhalation* : Immediately remove person to fresh air. If breathing has stopped, give artificial respiration. Keep warm and in a quiet place. If breathing is difficult, give oxygen by qualified medical personnel only. Seek immediate medical attention/advice.
- Skin contact* : Remove contaminated clothing. Wash contaminated area with soap and lukewarm (not hot), gently running water. Seek immediate medical attention/advice. Wash contaminated clothing before re-use.
- Eye contact* : Immediately flush eyes with running water for at least 15 minutes. Seek immediate medical attention/advice.

#### Most important symptoms and effects, both acute and delayed

- : Causes skin irritation. Symptoms may include redness, itching and swelling. Causes eye irritation. Symptoms may include stinging and tearing. May cause headache, nausea, dizziness and other symptoms of central nervous system depression. Contact with liquid or refrigerated gas can cause cold burns and frostbite. May cause respiratory irritation. Symptoms may include coughing, choking and wheezing. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

#### Indication of any immediate medical attention and special treatment needed

- : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing media

##### *Suitable extinguishing media*

- : Dry chemical, foam, carbon dioxide and water fog.

##### *Unsuitable extinguishing media*

- : Do not use a solid water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture / Conditions of flammability

- : Contents under pressure. Containers may explode if heated. Do not pierce or burn, even after use.

#### Flammability classification (OSHA 29 CFR 1910.106)

- : Non-flammable aerosol.

#### Explosion Data: Sensitivity to Mechanical Impact / Static Discharge:

- : Aerosols are sensitive to mechanical impact. Contents under pressure. Take precautionary measures against static discharge.

#### Hazardous combustion products

- : Carbon oxides; hydrochloric acid; chlorine; Phosgene; Hydrocarbons; Other unidentified organic compounds.

#### Special protective equipment and precautions for firefighters

##### *Protective equipment for fire-fighters*

- : Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

##### *Special fire-fighting procedures*

- : Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode. Move containers from fire area if safe to do so. Water spray may be useful in cooling equipment exposed to heat and flame. Avoid spreading burning liquid with water spray used for cooling purposes. Shield personnel to protect from venting or rupturing containers.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 4 of 11

## SAFETY DATA SHEET

- Environmental precautions** : Restrict access to area until completion of clean-up. Keep all other personnel upwind and away from the spill/release. Individuals involved in the cleanup must wear appropriate personal protective equipment. Refer to protective measures listed in sections 7 and 8.
- Methods and material for containment and cleaning up** : Ensure spilled product does not enter drains, sewers, waterways, or confined spaces.
- Special spill response procedures** : Remove all sources of ignition. Ventilate area of release. Stop leak if you can do so without risk. Dike for water control. Contain and absorb spilled liquid with non-combustible, inert absorbent material (e.g. sand), then place absorbent material into a container for later disposal (see Section 13). Contact the proper local authorities.
- : If a spill/release in excess of the EPA reportable quantity is made into the environment, immediately notify the national response center in the United States (phone: 1-800-424-8802).  
US CERCLA Reportable quantity (RQ): Trichloroethylene (100 lbs / 45.4 kg)

### SECTION 7. HANDLING AND STORAGE

#### Precautions for safe handling

- : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/clothing and eye/face protection. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with eyes, skin and clothing. Keep away from extreme heat and flame. Avoid contact with strong oxidizing agents. Always replace cap after use. Wash thoroughly after handling. Do not puncture or incinerate containers. Keep out of the reach of children. Keep away from direct sunlight.

#### Conditions for safe storage

- : Store in a cool, dry, well ventilated area, away from heat and ignition sources. Store locked up. Keep away from direct sunlight. Store away from incompatibles and out of direct sunlight. Storage area should be clearly identified, clear of obstruction and accessible only to trained and authorized personnel. No smoking in the area. Inspect periodically for damage or leaks.

#### Incompatible materials

- : Alkali metals; oxidizing agents; Bases; Reducing agents.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Exposure Limits:

Chemical Name	ACGIH TLV		OSHA PEL	
	TWA	STEL	PEL	STEL
Trichloroethylene	10 ppm	25 ppm	100 ppm	N/Av
Carbon dioxide	5000 ppm	30,000 ppm	5000 ppm	N/Av

#### Exposure controls

##### Ventilation and engineering measures

- : Do not use in closed or confined space. Use general or local exhaust ventilation to maintain air concentrations below recommended exposure limits.

##### Respiratory protection

- : Use NIOSH/MSHA approved full-face respirator with an organic vapour cartridge if the recommended exposure limit is exceeded. Advice should be sought from respiratory protection specialists.

##### Skin protection

- : Solvent-resistant gloves. Advice should be sought from glove suppliers.

##### Eye / face protection

- : Chemical splash goggles are recommended. Do not wear contact lenses.

##### Other protective equipment

- : An eyewash station and safety shower should be made available in the immediate working area. Depending on conditions of use, an impervious apron should be worn. Remove and wash contaminated clothing before re-use.



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 5 of 11

## SAFETY DATA SHEET

### General hygiene considerations

- : Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. Do not eat, drink, smoke or use cosmetics while working with this product. Upon completion of work, wash hands before eating, drinking, smoking or use of toilet facilities. Remove soiled clothing and wash it thoroughly before reuse.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Clear liquid in pressurized container.

Odour : Solvent odour.

Odour threshold : N/Av

pH : N/Ap

Melting/Freezing point : N/Av

Initial boiling point and boiling range

: N/Av

Flash point : N/Av

Flashpoint (Method) : N/Av

Evaporation rate (BuAe = 1) : > 1

Flammability (solid, gas) : The product is not flammable.

Lower flammable limit (% by vol.)

: N/Av

Upper flammable limit (% by vol.)

: N/Av

Oxidizing properties : None known.

Explosive properties : May be sensitive to static discharge.

Vapour pressure : N/Av

Vapour density : N/Av

Relative density / Specific gravity

: 1.45 (concentrate)

Solubility in water : Insoluble.

Other solubility(ies) :

Partition coefficient: n-octanol/water or Coefficient of water/oil distribution

: N/Av

Auto-ignition temperature : N/Av

Decomposition temperature : Not available.

Viscosity : N/Av

Volatiles (% by weight) : Not available.

Volatile organic Compounds (VOC's)

: N/Av

Absolute pressure of container

: N/Av

Flame projection length : N/Av

Other physical/chemical comments

: None known or reported by the manufacturer.

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not normally reactive.

Chemical stability : Material is stable under normal conditions.

Possibility of hazardous reactions

: Hazardous polymerization does not occur.

Conditions to avoid : Keep out of direct sunlight. Keep away from excessive heat, open flames, sparks and other possible sources of ignition. Do not use in areas without adequate ventilation.



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 6 of 11

## SAFETY DATA SHEET

Incompatible materials : Alkali metals; oxidizing agents; Bases; Reducing agents.  
Hazardous decomposition products : None known, refer to hazardous combustion products in Section 5.

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure:

Routes of entry inhalation : YES  
Routes of entry skin & eye : YES  
Routes of entry ingestion : YES  
Routes of exposure skin absorption : YES

#### Potential Health Effects:

##### Signs and symptoms of short-term (acute) exposure

###### *Sign and symptoms Inhalation*

: Inhalation of vapours or mists may cause irritation to the nose, throat and upper respiratory tract. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects. In extremely high concentrations, product may act as an asphyxiant and cause increased breathing and pulse rates, fatigue and unconsciousness.

###### *Sign and symptoms ingestion*

: Swallowing large amounts may be harmful. May cause irritation of mouth, throat, and stomach. Symptoms may include pain, headache, nausea, vomiting, dizziness, drowsiness and other central nervous system effects.

###### *Sign and symptoms skin*

: Causes skin irritation. May be absorbed through the skin. If product is sprayed directly on skin, symptoms of frostbite may be experienced including numbness, prickling and itching.

###### *Sign and symptoms eyes*

: Causes serious eye irritation. If product is sprayed directly into the eyes, could cause freezing of the eye.

##### Potential Chronic Health Effects

: Prolonged skin contact may cause dermatitis (rash), characterized by red, dry, itching skin. May cause liver and kidney damage.

##### Mutagenicity

: Not expected to be mutagenic in humans.

##### Carcinogenicity

: This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification Carcinogenic Category 1 May cause cancer. Contains: Trichloroethylene Trichloroethylene is classified as probably carcinogenic by IARC (Group 2A), ACGIH (Category A2) and NTP.

##### Reproductive effects & Teratogenicity

: Not expected to cause reproductive effects.

##### Sensitization to material

: Not expected to be a skin or respiratory sensitizer.

##### Specific target organ effects

: Eyes, skin, respiratory system, central nervous system, liver and kidneys.

This material is not classified as hazardous under U.S. OSHA regulations (29CFR 1910.1200) (Hazcom 2012) and Canadian WHMIS regulations (Hazardous Products Regulations) (WHMIS 2015). Classification: Specific Target Organ Toxicity, Single Exposure - Category 3 (cns) May cause drowsiness or dizziness.

Not classified as a specific target organ toxicity-repeated exposure.

##### Irritancy

: Severe skin irritation. Moderate to severe eye irritant.



Parker Hannifin Corporation  
Sportan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 7 of 11

## SAFETY DATA SHEET

### Medical conditions aggravated by overexposure

: Pre-existing eye, skin, respiratory, liver, kidney and central nervous system disorders.

### Synergistic materials

: N/Av

### Toxicological data

:

<u>Chemical name</u>	LC <sub>50</sub> (4hr)	LD <sub>50</sub>	
	<u>inh, rat</u>	<u>(Oral, rat)</u>	<u>(Rabbit, dermal)</u>
Trichloroethylene	38.96 mg/L	5602 mg/kg	>2900 mg/kg
Carbon dioxide	200,000 ppm/2H (mouse)	N/Ap (gas)	N/Ap (gas)

### Other important toxicological hazards

: CNS depression may result from extreme exposures.

## SECTION 12. ECOLOGICAL INFORMATION

**Ecotoxicity** : Do not allow material to contaminate ground water system. See the following tables for the substance's ecotoxicity data.

### Ecotoxicity data:

<u>Ingredients</u>	CAS No	Toxicity to Fish		
		LC50 / 96h	NOEC / 21 day	M Factor
Trichloroethylene	79-01-6	40.7mg/L (Fathead minnow)	N/Av	none

<u>Ingredients</u>	CAS No	Toxicity to Daphnia		
		EC50 / 48h	NOEC / 21 day	M Factor
Trichloroethylene	79-01-6	20.8mg/L (Water flea)	N/Av	none

<u>Ingredients</u>	CAS No	Toxicity to Algae		
		EC50 / 96h or 72h	NOEC / 96h or 72h	M Factor
Trichloroethylene	79-01-6	N/Av	N/Av	none

### Persistence and degradability

: No data is available on the product itself. Contains: Trichloroethylene.  
Trichloroethylene is not considered to be readily biodegradable.

### Bioaccumulation potential

: No data is available on the product itself.

### Mobility in soil

: No data is available on the product itself.

### Other Adverse Environmental effects

: No data is available on the product itself.

## SECTION 13. DISPOSAL CONSIDERATIONS

### Handling for Disposal

: Handle waste according to recommendations in Section 7. Do not puncture or incinerate containers.

### Methods of Disposal

: Improper disposal can cause damage to the environment. Dispose in accordance with all applicable federal, state, provincial and local regulations. Contact your local, state, provincial or federal environmental agency for specific rules.



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 8 of 11

## SAFETY DATA SHEET

**RCRA** : If this product, as supplied, becomes a waste in the United States, it may meet the criteria of a hazardous waste as defined under RCRA, Title 40 CFR 261. It is the responsibility of the waste generator to determine the proper waste identification and disposal method. For disposal of unused or waste material, check with local, state and federal environmental agencies.

### SECTION 14. TRANSPORTATION INFORMATION

Regulatory Information	UN Number	UN proper shipping name	Transport hazard class(es)	Packing Group	Label
TDG	UN1950	AEROSOLS	2.2(6.1)	none	
TDG Additional Information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. Under the TDGR, refer to Section 1.17 for additional exemption information, if shipping under this exemption.				
49CFR/DOT	UN1950	Aerosols	2.2	none	
49CFR/DOT Additional Information	May be shipped as LIMITED QUANTITY when transported in containers no larger than 1.0 Litre, in packages not exceeding 30 kg gross mass. For limited quantity shipping information, refer to 49 CFR Section 173.306.				
ICAO/IATA	UN1950	Aerosol Non-flammable.	2.2(6.1)	none	
ICAO/IATA Additional Information	Refer to the appropriate Packing Instruction, prior to shipping this material. Review all State and Operator Variations, prior to shipping this material.				

**Special precautions for user** : None reported by the manufacturer.

**Environmental hazards** : See ECOLOGICAL INFORMATION, Section 12.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

: Not available.

### SECTION 15 - REGULATORY INFORMATION

#### US Federal Information:

Components listed below are present on the following U.S. Federal chemical lists:

Ingredients	CAS #	TSCA Inventory	CERCLA Reportable Quantity(RQ) (40 CFR 117.302):	SARA TITLE III: Sec. 302, Extremely Hazardous Substance, 40 CFR 355:	SARA TITLE III: Sec. 313, 40 CFR 372, Specific Toxic Chemical	
					Toxic Chemical	de minimus Concentration
Trichloroethylene	79-01-6	Yes	100 lb/ 45.4 kg	N/Av	Yes	0.1%
Carbon dioxide	124-38-9	Yes	N/Ap	N/Av	No	N/Ap

SARA TITLE III: Sec. 311 and 312, MSDS Requirements, 40 CFR 370 Hazard Classes: Pressurized gas hazard; Acute Health Hazard. Chronic Health Hazard. Under SARA Sections 311 and 312, the EPA has established threshold quantities for the reporting of hazardous chemicals. The current thresholds are 500 pounds for the threshold planning quantity (TPQ), whichever is lower, for extremely hazardous substances and 10,000 pounds for all other hazardous chemicals.





Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 9 of 11

## SAFETY DATA SHEET

### US State Right to Know Laws:

The following chemicals are specifically listed by individual States:

<u>Ingredients</u>	CAS #	California Proposition 65		State "Right to Know" Lists					
		Listed	Type of Toxicity	CA	MA	MN	NJ	PA	RI
Trichloroethylene	79-01-6	Yes	Carcinogen	Yes	Yes	Yes	Yes	Yes	Yes
Carbon dioxide	124-38-9	No	N/Ap	Yes	Yes	Yes	Yes	Yes	Yes

### Canadian Information:

WHMIS information: Refer to Section 2 for a WHMIS Classification for this product.

Canadian Environmental Protection Act (CEPA) information: All ingredients listed appear on the Domestic Substances List (DSL).

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and this MSDS contains all the information required by the CPR.

### International Information:

Components listed below are present on the following International Inventory list:

<u>Ingredients</u>	CAS #	European EINECs	Australia AICS	Philippines PICCS	Japan ENCS	Korea KECI/KECL	China IECSC	New Zealand IOC
Trichloroethylene	79-01-6	201-167-4	Present	Present	(2)-105	KE-13680	Present	HSR001555
Carbon dioxide	124-38-9	204-696-9	Present	Present	(1)-310, (1)-169	KE-04683	Present	HSR001018

### SECTION 16. OTHER INFORMATION



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.

Blast-A-Coil

BAC20 (P/N 475246)

SDS Revision Date (mm/dd/yyyy): 05/14/2015

Page 10 of 11

## SAFETY DATA SHEET

### Legend

: ACGIH: American Conference of Governmental Industrial Hygienists  
AIHA: American Industrial Hygiene Association  
CA: California  
CAS: Chemical Abstract Services  
CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980  
CFR: Code of Federal Regulations  
CNS: Central Nervous System  
DOT: Department of Transportation  
HMIS: Hazardous Materials Identification System  
HSDB: Hazardous Substances Data Bank  
IARC: International Agency for Research on Cancer  
Inh: Inhalation  
LC: Lethal Concentration  
LD: Lethal Dose  
MA: Massachusetts  
MN: Minnesota  
MSHA: Mine Safety and Health Administration  
N/Ap: Not Applicable  
N/Av: Not Available  
NFPA: National Fire Protection Association  
NIOSH: National Institute of Occupational Safety and Health  
NJ: New Jersey  
NTP: National Toxicology Program  
OSHA: Occupational Safety and Health Administration  
PA: Pennsylvania  
PEL: Permissible exposure limit  
RCRA: Resource Conservation and Recovery Act  
RI: Rhode Island  
RTECS: Registry of Toxic Effects of Chemical Substances  
SARA: Superfund Amendments and Reauthorization Act  
STEL: Short Term Exposure Limit  
TDG: Canadian Transportation of Dangerous Goods Act & Regulations  
TLV: Threshold Limit Values  
TWA: Time Weighted Average  
WEEL: Workplace Environmental Exposure Level  
WHMIS: Workplace Hazardous Materials Identification System

### References

: Canadian Centre for Occupational Health and Safety, CCInfoWeb Databases, 2015 (Chempendium, RTECs, HSDB, INCHEM).  
European Chemicals Agency, Classification Legislation, 2015  
Material Safety Data Sheet from manufacturer  
OECD- The Global Portal to Information on Chemical Substances - eChemPortal, 2015

Preparation Date (mm/dd/yyyy)

: 05/14/2015

Reviewed Date SDS (dd/mm/yyyy)

: 14/05/2015

Revision No.

: 2

Revision Information

:

Other special considerations for handling

: Provide adequate information, instruction and training for operators.

HMIS Rating

: \* - Chronic hazard 0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe  
Health: \*2 Flammability: 0 Reactivity: 1

NFPA Rating

0 - Minimal 1 - Slight 2 - Moderate 3 - Serious 4 - Severe  
: Health: 2 Flammability: 0 Instability: 0 Special Hazards: None.



Parker Hannifin Corporation  
Sporlan Division  
206 Lange Drive  
Washington, MO 63090  
U.S.A.



Blast-A-Coil

SDS Revision Date (mm/dd/yyyy): 05/14/2015

BAC20 (P/N 475246)

Page 11 of 11

## SAFETY DATA SHEET

<p><b><u>Prepared for:</u></b> Parker Hannifin Corporation - Sporlan Division 206 Lange Drive Washington, MO 63090 U.S.A Telephone: (636) 239-1111 Direct all enquiries to: Parker Hannifin Corp. - Sporlan Division.</p>	
<p><b><u>Prepared by:</u></b> ICC The Compliance Center Inc. Telephone: (888) 442-9628 (U.S.); (888) 977-4834 (Canada) <a href="http://www.thecompliancecenter.com">http://www.thecompliancecenter.com</a></p>	

### DISCLAIMER

This Material Safety Data Sheet was prepared by ICC The Compliance Center Inc. using information provided by / obtained from Parker Hannifin Corp and CCOHS' Web Information Service. The information in the Material Safety Data Sheet is offered for your consideration and guidance when exposed to this product. ICC The Compliance Center Inc and Parker Hannifin Corp expressly disclaim all expressed or implied warranties and assume no responsibilities for the accuracy or completeness of the data contained herein. The data in this MSDS does not apply to use with any other product or in any other process.

This Material Safety Data Sheet may not be changed, or altered in any way without the expressed knowledge and permission of ICC The Compliance Center Inc. and Parker Hannifin Corp.

END OF DOCUMENT